COMPULOAD **O**MKII



Compact Static Weighing System for Forklifts, Tractors, Skid Steer and Small Loaders

Optional:

Total

On Board Printer with time,

date, every load and accumulated



- Compact Easy to read 4.3" display
- Accurate weighing of every lift
- Accumulation of every load
- Can weigh in Kg, t, or Lbs
- **Bucket / Load counter**
- Able to fit optional printer
- Print Copy Function
- -40°C to +75°C operating temperature range
- lp 65 rated

Proven Rugged & Reliable

Compuload weighing systems have proven themselves in all types of applications and environments since 1989. Compuload has 1000's of satisfied users. The rugged design ensures continuous operation even when the going gets tough.


After continuous development, we now introduce the Compuload CL2000MKII.


It is simple to operate and provides reliable and accurate readings.

COMPULOAD CL2000 MKII

Compact Static Weighing System for Forklifts, Tractors, Skid Steer and Small Loaders

The Compuload CL2000MKII is a general purpose programmable 4.3" display. Compact and modern looking. It can be used indoors or outdoors, rated at IP65.







TECHNICAL SPECIFICATIONS Power supply 8 - 32V

Operative temperature - 40°C+ +75°C

> Sealing degree IP65

> > TFT 4.3", 480 x 272 pixels, 800 cdm, Display

600:1 contrast ratio

Main CPU ARM Cortex M4, 32 bit

Frequency 180 Mhz

FLASH Memory 16MB

RAM Memory 16MB

Sun readability Yes

> RTC Yes

Wake up mode Power supply, CAN message

> < 3 sec Boot time

Internal temperature

sensor

5 push buttons on front panel (silicon keypad) Keypad

Resistive Touch

85 Db Buzzer

- 2 CAN BUS Communication ports

- 1 USB port - 1 RS232 port (TX/RX)

1 PAL/NTSC standard input Video input (optional)

- 2 analog/digital Inputs I/O List (optional)

- 4 Outputs High Side 2A

Connector AMP automotive 26 pin

CE Standards

EMC Industrial, automotive

C, C++ (ARM Gnu, HAL graphic library), Programming

VT3 tool